



LA 11B A 1 International Business Usa: (305)776-5931 Ven: (58212)335-07-42





index of marine products



Fire protection Equip

Fire Fighting Suits, Fire Systems, Fire Extinguishers, Cabinets, Couplings and Nozzles.

Go

General marine equipment

Winches, Wire Rope, Marine Ladders, Ropes and Rigging, Bells, Bells, Release Hooks.





OC AN SAFETY

Marine Safety Equip

Liferafts, Life Jackets, Immersion, Anti-Exposure Suits, Life rings, Floats, Accessories.

Go

Nautical charts & Other stuffs

Nautical Sextants, Central and South America and Antarctica Charts, Chart Dividers, Binoculars.







Navigation Equipment

Gps, Radars, Dirigo Compass with Binnacle, Satellite TV.

Go

LA 11B A 1 International Business Usa: (305)776-5931 Ven: (58212)335-07-42





Fire Extinguisher ABC 6Kg



- Built-pressure, nitrogen
- Quick release valve.
- Body extinguisher rolled steel sheet.
- Wall Bracket Included.

AIR COMPRESSOR TYPE LW 100 E



- Switch over device 200/300 bar
- Stainless steel frame
- ✓ Max pressure 330 bar
- √ 440 volt/60Hz/3 phase

BULLARD HELMET W/SHIPSWHEEL



- Surface 3-coats-2K-finish
- High gloss with UV-stabilizer
- Headband high quality Nylon
- ✓ Head cushion flameproof

FIRE HOSE, STANDARD, 2"



- **✓ EPDM Compound**
- Aprovals: LOBA, KTW
- ✓ Aging & ozone resistant
- ✓ Better resistance to oil

FLAMMABLE CABINETS



- Fiberglass Construction
- ✓ Standard Color Safety RED
- ✓ Lockable "Break Glass"
- Storage of Life Jackets

EN469/SOLAS FIRE SUIT



- Sizes: S / M / L / XL / XXL / SPL
- Approvals: EN 469-2005
- ✓ Material: NOMEX® Viscose 50%/50%
- Type of material: Aramid 100%, 220 g/m2







En469/SOLAS FIRE SUIT NXIII



- En469/Solas Fire Suit Nxiii Ps6598
- Style and a variety of sizes
- Solas certified
- Brand by Nomex

Marine Fire blanket



- Made with fire safety in mind
- Treated with Dupont X-12 for fire retardancy
- Large size, measuring 80" long and 62" wide
- ✓ Wool Blanket measures 80"L x 62"W

Safety belt



- Approved according to EN 358
- With 2 D-rings and 2 m safety line
- Freedom of movement during work.
- Provides confort and security

SHORT HANDLED FIREMAN AXE, 34 CM



- Weight: 1 kg.
- With three edged wedge
- Length: 34 cm
- Ergonomic rubber handle

Medium duty gloves with durable leather



- Have durable leather palm
- Rubberized safety cuff
- For construction, operating equipment
- Provides full hand protection

SHIP PACKAGE, ALUMINUM. w/BULLARD HELMET



- Closed with push buttons
- Approved according to SOLAS 96/98/EC
- Sewing: 100% Meta-aramid.
- ✓ Fabric: NOMEX, two-piece suit





Powder and Foam Fire Extinguisher



- British Standards Institution BSI approval.
- Protective Plastic lining.
- ✓ Color coded for instant recognition
- High quality and good value

Portable CO2 Fire Extinguisher



- ✓ British Standards Institution BSI approval.
- ✓ Protective Plastic lining.
- Color coded for instant recognition.
- ✓ SOLAS / LLOYDS (UK) / EC MED Approved

CO2 Fire Extinguisher - Trolley type



- British Standards Institution BSI approval
- Protective Plastic lining.
- Color coded for instant recognition.
- LLOYDS Pressure test certificate

Portable Water & Foam Type Fire Extinguisher



- Made with fire safety in mind
- ✓ Treated with Dupont X-12 for fire retardancy
- Large size, measuring 80" long and 62" wide
- ✓ Wool Blanket measures 80"L x 62"W

AERIS Self Contained Breathing Apparatus



- → Positive Pressure Type, 30 Minuts
- Complete With Cylinder 6ltr x 200Bar
- ✓ Fully Complying with EN 137 EN 136
- ✓ E.C. Marine Equipment Directive 96/98

EN469/SOLAS FIRE SUIT NXIII



- Made with fire safety in mind
- Treated with Dupont X-12 for fire retardancy
- ✓ Large size, measuring 80" long and 62" wide
- ✓ Wool Blanket measures 80"L x 62"W

CA 11B A 1 International Business
Usa: (305)776-5931 Ven: (58212)335-07-42





MCH 6/EM · Single Phase Electric



- Charging rate: 80 L/min 6m3/h 2.8 cfm
- Rpm pumping unit: 2240
 Noise Level: 81.7 dB ISO 3746
- Breathing Air: DIN 3188 EN12021 CGA E

Dry Chemical Powder Fire Extinguishing system



Dry powder system is designed specially for marine applications and to cover the SOLAS requirements.

Foam Fire Extinguishing system



Foam system for the protection of chemical and oil tank decks or heli-decks in accordance with SOLAS requirements and IBC code. calculated and designed in accordance with international regulations.

CO2 Fire Extinguishing System



- The fastest and most eicient agent for ires in enclosed spaces
- CO2 smothers the ire with in minutes
- ✓ Keeps the damage to a minimum
- ✓ Cylinders are stored in a separate CO2 room.

Heat Detector Tester



- ✓ Combination detectors up to 194°F / 90°C
- Set detectors into alarm within seconds
- Safe for use at low level or at heights
- Rapid activation times

Cordless Heat Detector Tester



- Portable unit no trailing cables
- ✓ Test quicker that any other acceptable method
- Visual displays show test mode and battery condition
- Quiet fan for discreet operation





Jacobs / Monkey ladder



- Available in hardwood, polymer.
- Protective Plastic lining.
- Available in various sizes.
- Color coded for instant recognition.

Aluminium Alloy Rope Ladders



- Aluminium alloy steps.
- Light weight.
- Non-corrosive, unbreakable.
- Very safe to the user

Pilot ladder



- Step : Hardwood
- Step Size : L525mm x W115mm x T60mm
- ✓ Step Size: L525mm x W115mm x T60mm
- ✓ Size: L1800mm x W115mm x T60mm

Cargo nets



- Available in various sizes.
- Can be made to desired specifications.
- √ Rim rope: 16 mm/ 24 mm
- ✓ Mesh rope: 12 mm/ 18 mm

Gangway safety net



- Available in various sizes.
- ✓ Protective Plastic lining.
- Color coded for instant recognition.
- ✓ SOLAS / LLOYDS (UK) / EC MED Approved

Embarkatio Ladder



- Step : Hardwood.
- Step Size: L525mm x W115mm x T60mm
- 🗸 Step Size : L525mm x W115mm x T60mm
- Rope : Manila 20mm

E A I IB F A I International Business Usa: (305)776-5931 Ven: (58212)335-07-42





Scramble Nets



- Available in various sizes.
- Mesh Rope : 18 mm
- ✓ Rim Rope : 22 mm
- Mesh Size: 250 mm

Fall Arrester Block



- With ABS Casing and Swivel Connector
- Fall Arrest Indicator Length 6 mtr,
- Color coded for instant recognition.
- Also available in 10 mtr length

SOLAS Training Manual



- ✓ It ensures compliance with the Code
- ✓ It saves considerable preparation time/cost.
- It gives uniformity throughout a fleet.
- ✓ It enhances the professional image of the owner

Personnel Transfer Net



- Provides safe, sure transfer of personnel
- Used offshore by major oil producers
- Recognized as safe transfer device
- ✓ Collapsible design for easy storage

Fire Training Manual



- Portable Fire Fighting Equipment
- Fixed Extinguishing Systems
- Structural Fire Protection
- Equipment Inventory

Safety Training Video Packages



- Onboard Basic Safety Training
- Maritime Medical Emergencies
- Back Care for Maritime Industry
- ✓ Marine Survival Equipment Training

LA 11B A 1 International Business
Usa: (305)776-5931 Ven: (58212)335-07-42





Safety Harness







Full Body Type CE / EN Approved

Fall arrest rope block







Quick release and self lock system, in stainless steel, anti-upside down feature.

Photoluminiscent Signs



- Direction Signs
- Fire Control Signs
- Fire Equipment Signs
- Space Identification Signs

Oil Spill Equipment & Accessories







Oil Tools

Photoluminiscent Tape



- Way Finding tape
- Red Diagonal tape
- ✓ Green Diagonal tape
- Black Diagonal tape

Safety Accesories



- ✓ Hand Scoop (Non sparking)
- Shovel (Non sparking)
- ✓ Buckets
- GRP storage box

USA: (305)776-5931 Ven: (58212)335-07-42





Air Winch



- Drum load: 10kn
- Suppoorting load: 30Kn
- Speed: 10m/min
- Wire capacity: 40m

Manual winch



- Available as an option on some MB winches.
- ✓ Winches are supplied with a galvanised steel
- May be mounted vertically or horizontally
- Automatically engaged brake for hoisting

Pilot Ladder Winch



- Constructed in accordance with SOLAS
- Ship to shore orbetween vessels
- Powered by means of an electric or pneumatic
- ✓ Designed to hold accommodation ladders

Electric Winch



- Drum load: 10kn.
- Holding load: 30Kn
- Rope capacity: 37m
- Single drum electric winch for accommodation ladder

Ram-Nek 6" Hatch Cover Tape



- Factory extruded 1.22 meter-long
- Silicone coated for easy stripping
- ✓ The strips allow for easier handling
- ✓ Ram-Nek 6" (150mm) x 4 ft (1,22 mtr)

Embarkation Ladders



- ✓ Wooden embarking ladder CB/T428-94
- Length: 4.65, 6.2,9.3,12.4, 15.5 etc.
- ✓ Number of steps: 15,20,30,40,50
- ✓ Step distance: 0.31+/-0.005





Rescue Boat



✓ The davits meets the latest IMO/SOLAS requirements and LSA Code as well as the European Council Directive 96/98 EC on Marine Equipment (M.E.D.).

Servicing of Lifeboats & Lauching Appliances



✓ We can provide services for Lifeboats, Rescue Boats & Lauching Appliances for all vessel. The service is carried out under approval. With other vessels, we can provide service either under approval of Lifeboats Maker or with attendance of Class Surveyor.

Lifeboat / Rescue Boat



GRP closed lifeboat / rescue boat is suitable for atrocious weather, such as ocean vessels and tankers. F type has high flame retarding performance and can double as lifeboat and rescue boat.

Adult Lifejacket Solas 74, LSA Code, 96/98/EC



Complete with retro-relective tapes EN394 approved whistle and two belt positions for lifejacket light installation (in front and on the side). Uses stainless steel buckle. Approved by Lloyd's Register.

SEAHORSE, WV10 Work Vest



USCG Approved. Durability, comfort and s afety help meet your workers' safety requirements and your bottom line.

Open Lifeboat



GRP open life boat is an economical series and can meet needs of common life saving, and is thus applicable for waterway vessels and offshore vessels.





Lifejacket Light, SOLAS/DOT EC MED Appd



- Lithium Battery Type, Automatic Water Activated
- With Manual Shut off Switch
- ✓ Model: RESCUE DAN'W1"

Compact Inflatable Lifejacket



Med Ship'Wheel Approved auto with twin chambers SOLAS/EC MED/BV Approved

Falcon - Welder/Fire Fighters



Med Ship'Wheel Approved auto with twin chambers

Kru XS Inflatable Lifejacket



- Suitable as work lifejackets and sports lifejacket
 - Compact, Comfortable and unobtrusive

Med Ship' Wheel Approved auto with twin chambers



EC MED Appd. Lithium Battery Type, With Manual Activated, Model: L6

Lifejacket Light Solas 74, LSA Code



✓ It uses 4 alkaline batteries LR6. Provides autonomy of continuous use for 8 hours giving more than 50 flashes/minute and luminous intensity of more than 0.75cd in the hol upper hemispere. Manually activated.

LA 11B A 1 International Business
Usa: (305)776-5931 Ven: (58212)335-07-42





Lifeboat Charger 42VDC 3x5A



- ✓ Item no: 700116
- ✓ Input voltage [Vac Hz] 42 +/-10%
- ✓ SAFETY IEC 60335-2-29
- ✓ Ladac By Defa

Lifeboat Charger 42VDC 5A



- ✓ Input voltage [Vac Hz] 42 +/-10%
- Input current Max [Arms] 3,9
- ✓ Weight [kg] 1,5
- Ladac by Defa

Lifeboat Charger 48VDC 2x5A



The charger is suitable for installation in lifeboats (which typically has several batteries) with battery sizes up to 2x100Ah. It provides electric isolation between the mains earth and battery (double isolated) which reduces the risk of corrosion. Item: 700105 Ladac by Defa

Lifeboat Charger 48VDC 4x5A



- ✓ Item: 700118.
- ✓ Input voltage [Vac Hz] 48 +/-10%
- Weight [kg] 9,3
- Ladac by Defa

Lifeboat Charger 48VDC 2x5A



- ✓ Input voltage [Vac Hz] 48 +/-10%
- ✓ Operating temp. [°C] -25/+40
- ✓ Maintenance charging at S2. Max [VDC] 13,3
- Ladac by Defa

LIFEBOAT CHARGER 42VDC 2X5A




- ✓ Item no: 700110/700112
- ✓ Input voltage [Vac Hz] 42 +/-10%
- Recommend battery size. Max [Ah] 2x100
- ✓ Weight [kg] 4,5 [Ladac By Defa]







LIFEBUOY, SOLAS / L.S.A Code, 96/98/EC



- Suitable for commercial ships or big boats.
- Made of polyethylene
- ✓ With retro-reflective tapes
- Approved by Lloyd's Register

Daniamant L90 Lifebuoy Light



✓ It uses five alkaline batteries, offering a life of one year. Robust and reliable, the L90 is automatically activated after release

Horseshoe Buoys



With removable cover which is zipped for easy replacement.

Lifebuoy Light, SOLAS/L.S.A Code 96/98/EC



Automatic switch on at overturning. Poweredwith 4 Alkaline batteries LR20 type D.

Orange polyethylene rope



Suitable for fastening the lifebuoy in case of need and for several other marine uses.

Daniamant L40 Lifebuoy Light



Intrinsically safe, Five year Life SOLAS / EC MED Approved





Rescue Stretchers







Neil Robertson type stretcher

Basket type stretcher

Thermal Protective Aid (TPA)



- ✓ Thermal protective aid without sleeves covering the whole body
- Metallic inside layer to retain body heat
- Color coded for instant recognition.
- Waterproof

"055" Survival Suit



- Standard or Harness version
- No ankle or waist straps
- Good peripheral vision.
- Donning instructions printed on bag

Fiberglass Cabinets







Fire Hose Cabinet

Cabinet for Verious Purpose

Coupling **&** Spanner























Immersion Suit XTBFK-1



- Approved to SOLAS requirements by CCS and MED
- Manufactured from PVC foam
- SOLAS/ EC MED / GL Approved
- A reinforced bag is provided for each suit

Ven: (58212)335-07-42

www.A'lls.com





Flowmeters



Twin Flowmeters are available with a wide variety of probes. Pictured here is the Twin Oxygen lowmeter, 0 - 15 lpm, itted with a DIN Standard probe.

Boxes & Storage Containers







Breathing Apparatus Ca

Fir Extinguisher Cabinet

More Storage Containers







Surival suit cabinet

Fire / Safety Plan

Lifebuoy Cabinet

CO2 Fire Extinguisher · Trolley type



- Light weight and portable
- Seamless and corrosion resistance.
- Elegant in look
- Safety standards and quality

Fire Alarm System







Fire Alarm Pannel

Heat Detector

Flame Detector

Oxygen Sets



- Simple and EASY TO USE.
- ✓ Simple "On-Off" Control Lever
- ✓ Resuscitation LIFE® CPR mask
- Easily Portable with Convenient Handle

LA 11B A 1 International Business
Usa: (305)776-5931 Ven: (58212)335-07-42





Chemical Suits







al Protective Gloves

Chemical Protective Goggles & Face Shield

Chemical protective suit



✓ With boots / gloves & goggles for liquid & solid chemicals.

Gastight chemical protective suit



For gaseous, liquid & solid chemicals, suit consists of a gas tight overall, which secludes entire body from, surrounding atmosphere andis equipped with elastic face seal, gas tight zip, weld on safety boots & gloves heavy duty one piece construction EN / Germanischer.

Full Face mask



- With speech membrane
- 5 pre-adjusted headstraps
- ✓ Threading EN148-1 & DIN3182
- ✓ Easy to clean / decontaminate

Gas Detector



- Compact & rugged.
- Over-molded boot
- One button operation
- ✓ Optional built-in vibrating alarm

Multi Gas Detector



- One button operation.
- Large display.
- Top & front mounted bright LED.
- Available with built-in vibrating alarm.





Personnel H2S detector



- One button operation
- Top & front mounted bright LED
- ✓ Available with built-in vibrating alarm
- One-button automatic calibration

Wolf safety hand lamp, rechrgeable type



Explosion proof, Water proof Model - 251 mk2

Wolf Airturbo A-0444



- √ 55w with ball glass for all round illumination
- Peak luminous intensity at 2.5m radius 2lux
- Explosion Proof, Water Proof
- ✓ Polished relector spot beam

Wolf Safety Torch



- ✓ Primary Cell Powered Straight or Right-Angle
- ✓TS-26 & TR-26
- √ 1.2W beam (approx 5°)
- ✓ Peak luminous intensity at 5m 170lux

Wolf Turbolite A-TL44



- ✓ 250w with ball glass for all round illumination.
- ✓ Peak luminous intensity at 2.5m radius 70lux
- Explosion Proof, Water Proof
- ✓ Peak luminous intensity at 5m 2000lux

Light/Smoke Signal, SOLAS Approved



- Dense orange smoke
- Burn time 15 mins
- Lithium battery
- ✓ New release mechanism





Parachute Signal Rocket, Red, SOLAS Appd.



- Easy and safe handling
- Minimal size and weight
- Low recoil
- Secured handling due to non-slip grip

SIGNALING EQUIPMENT











Smoke Signal, Orange, SOLAS Appd.



- Easy and safe handling
- Minimal size and weight
- Dense orange smoke for 4 minutes
- SOLAS / LLOYDS (UK) / EC MED Approved

Bells







International Code of Signals



Line/Throwing Device, SOLAS Appd.



- Easy and safe handling
- **Basic** equipment
- Optimal stowage facility.
- ✓ SOLAS / LLOYDS (UK) / EC MED Approved

International Business Ven: (58212)335-07-42 Usa: (305)776-5931

(WWW)





General marine Equip



NAUTICAL EQUIPMENT







Clinometer



Compass & clocks



Marine Clock



Compass



Measuring Equipment



Barometers, stop watches



Stop Watch



Barometer



Magnifying glass

Measuring Equipment



Electronic Stethoscope











Thermometer **\$** clinometer









Radar Transponder (SART)



- C/w Battery & Bracket
- GMDSS Approved.
- Saracom, Korea
- ✓ SOLAS / LLOYDS (UK) / EC MED Approved

Outside Micrometer



Seven Star SART



- ✓ Frequency: 9.2-9.5 GHz
- Battery: 96 hrs standby, 8 hrs
- Color coded for instant recognition.
- ✓ SOLAS / LLOYDS (UK) / EC MED Approved

Powder and Foam Fire Extinguisher



- ✓ British Standards Institution BSI approval.
- Protective Plastic lining.
- Color coded for instant recognition.
- ✓ SOLAS / LLOYDS (UK) / EC MED Approved

Screw Pitch Gauge







7" Straight Brass Divider Impa 371012



- Model: ABC12345
- 7" Straight Brass Divider Impa
- Dividers are made with brass
- Arms and polished marine alloy tips

British Admiralty Chart R1 - R11



- British Admiralty: Region 1 R1
- British Admiralty: Region 2 R2
- British Admiralty: Region 3 R3
- ✓ British Admiralty: Region 4 R4

BA Nautical Charts



- 🗸 Standard Navigational
- Thematic
- Routing
- Magnetic Variation

5x Magnifier Chart Weight 3"



- Forged brass ring.
- Presentation gift box.
- ✓ Diameter: 3" (76 mm).
- ✓ Wt: .75 lbs. (340 g).

NGA Region



- 🌙 NGA California to Cape Horn
- NGA Cape Horn to California
- ✓ NGA Coasts of Colombia & Venezuela
- NGA Jamaica

Navigators paralel rulers



✓ These navigator's parallel rulers are inscribed with full 180° protractor markings. The middle of the bottom edgeforms the protractor center when the arms are closed.





SIGNAL BELL 210 MM/8" Impa 370101



- ✓ SIGNAL BELL, CAST BRASS
- ✓ Model: ABC123456
- 🗸 210 MM/8" Impa 370101210mm
- ✓ Weight: 5.0 lbs

Stopwatch Analogue Impa 370211



Mechanical stopwatch, 1/10 sec, 15 min. register, 30 sec. sweep. Thirteen jewels and shock resistant metal case. Two buttons, 1 for start/stop, 2nd for reset. Red/Black numerals.

Map Wheel Scalex



Map Wheel is a simple, fast and accurate way to measure distances on maps, whether in straight lines or along curves. Just set the Map Wheel's scale to match the map, then roll the unit along the route you want to measure. The distance is displayed instantly. Portable, uses two AAA batteries (included).

Carson LM-20 2X LED Illuminated Magnifier & Desk Lamp



- ✓ Magnifier desk lamp with 2x magnification
- ✓ Built-in 5x power spot lens for closer views
- 2 super-bright LED lights provide illumination
- ✓ Flexible neck for positioning magnifier

Black Plastic Anchor Ball Signal Shape



- Small Model: Diameter: 300mm (12 inchs)
- ✓ Large Model: Diameter: 375mm (15 inchs)
- Comprising of a black ball shape
- ✓ The international DAY signal for use

Astra IIIB Deluxe Sextant Impa 370331



The Astra features a rectangular index mirror, available with either a traditional half-silvered (split) or whole (full) horizon versions.





Gas Fog Horn Set



An ozone friendly gas fog horn with a 340ml propellant can and a standard universal screw thread plastic trumpet. Acoustic range of approximately 1500 meters.

Mouth Powered Fog Horn



A 30cm long red orally powered fog horn / signal horn. Trumpet Diameter 9cm.

Stainless Steel Compact Electric Horn



A high quality stainless steel compact electric horn with sealed diagphram and sound unit. These horns meet ABYC Specification A-23 for boats up to 12m. Length: 3 inch, Width: 3 inch, Height 1, 3/4 inch.

EcoBlast Fog Horn



The EcoBlast is a rechargeable handheld air horn that uses compressed air from either the hand pump supplied or from a standard garage air compressor. Environmentally friendly the EcoBlast gives an piercing 115 decibel blast and can last for over 80 blasts on full charge.

AFI Stainless Steel Electric Trumpet Horn (12v)



A high quality stainless steel electric trumpet horn with sealed diagphram and sound unit. These horns meet ABYC Specification A-23 for boats up to 12m

Heavy Weather Tactics: Using Sea Anchors & Drogues



This is a useful book providing the reader with in-depth advice and analysis on all aspects of choosing and deploying a sea-anchor or drogue. There are of course many different theories as to the best course of action in survival conditions.

www.A\IIB.com






Para Anchor Parachute Sea Anchor



- √ 1 x Para Anchor Deployment Bag
- 1 x Para Anchor Canopy
- ✓ 1 x S/S Anchor Line Swivel
- 1 x S/S Ballast Chain

Para Anchor Deployment Lines




Para-Anchor recommend a minimum of around 100 metres of nylon braided rope, using 16mm rope on vessels up to 32ft, 18mm rope on vessels up to 39ft, 20mm rope on vessels up to 55ft and 24mm rope on vessels up to 65ft.

Lalizas Heavy Duty Drogue



The Professional Lalizas Heavy Duty Drogue has been especially designed for use on boats under harsh conditions. The fabric is 200D polyester coated on both sides with 0.5mm PVC.

Reeds PBO Small Craft Almanac 2012



In a practical handy format the Reeds PBO Small Craft

Almanac contains many unique features and
represents excellent value for money. Meticulously
researched, this popular almanac contains a wealth of
information presented in an easy to find, quick
reference manner for practical on-board use.

Reeds Channel Almanac 2012



Para Anchor Drogue




Ideally a drogue is used as a means of allowing the safe and substantial slowing of a vessel when it is impossible to heave to or luff up owing to the sea state. They are designed to stream behind a vessel while running downwind increasing directional stability and reducing the risk of broaching.

LA 11B A 1 International Business Usa: (305)776-5931 Ven: (58212)335-07-42





Mediterranean Almanac 2011-2012




The essential companion and general handbook for the Mediterranean, the Imray Mediterranean Almanac 2011-12 is published in full colour. All the harbour plans appear in the familier Imray livery which adds clarity to their use. There are the usual detailed revisions throughout this edition, plus many new harbour plans.

RYA Navigation Handbook G6




The essential reference book for anyone following RYA
courses from Day Skipper to Yachtmaster Offshore. It takes
the reader logically through the stages of navigation e
xplaning chartwork, measuring direction and distance,
electronic equipment position fixing, tides, DR and EP,
lights, buoys, fog signals, radar, pilotage and finally
passage making. Ideal reading for those on RYA courses.

RYA Navigation Exercises 67




✓ The RYA Book of Navigation Exercises is a companion to the best selling manual The RYA Book of Navigation, and provides practice questions and answers at both Day Skipper and Coastal Skipper/Yachtmaster levels.

CO2 Fire Extinguisher · Trolley type



This is the sixth edition of the Cruising Almanac in its present form. In 2002, the Cruising Association went into partnership with Imray to produce a two yearly publication. Building on its success, it is now being published annually with the current year's tide tables for 47 standard ports.

How to Read a Nautical Chart by Nigal Calder



For those of us who remember the demise of the US

Governments Chart No. 1 in 2000 (very similar to
BA5011), this title is a welcome publication. Nigel
Calder makes sense of the complex array of signs,
symbols and graphic elements used in US nautical
charts, and presents a number of original features to
help readers optimise use of the data.

Powder and Foam Fire Extinguisher



To be safe at sea you must know when you have the right of way - and when you dont. This book explains the rules and regulations, with footnotes to help you interpret them correctly.

LA 11B A 1 International Business Usa: (305)776-5931 Ven: (58212)335-07-42





NAUTEX Receiver



- Frequency of Operation: Tri-band 518 Khz, 490 KHz and 4.2 Mhz
- Memory Capacity: 200 messages
- Jisplay: 8" Color TFT LCD
- Power supply: 24 VDC, nomina

TRISTAR BINOCULAR 7X50 IF



- ✓ WATER PROOF
- ✓ DRY NITROGEN FILLED
- ✓ WITH BUILT IN DIGITAL COMPASS /SCALE
- Size: 7x50 Individual Focus

TRISTAR BINOCULAR 7X50 IF



- ✓ TRISTAR BINOCULAR 7X50 CF
- ✓ WATER PROOF
- ✓ DRY NITROGEN FILLED
- Size: 7x50 Central Focus

Automatic Identifications System



- Compact size
- Transmits and receives
- Water resistant
- GPS receiver

Radar Transponder (SART)



- C/w Battery & Bracket
- GMDSS Approved
- Saracom, Korea

Seven Star SART



- ✓ Frequency: 9.2-9.5 GHz
- Battery: 96 hrs standby
- √ 8 hrs continuous when operating







Binoculars



Spottingscope binoculars



Security Stuff



Angular visors



Security Equipment as per ISPS Code







A I IB A I INTERNATIONAL BUSINESS
Usa: (305)776-5931 Ven: (58212)335-07-42





Personnel Marker Light



- USCG approved no. 161.012/2/1
- Bright green light
- ✓ Up to 8 hours illumination
- Easy to use

Beacons, Marker Light



- Eflares are waterproof
- Unit is 210mm tall
- Color coded for instant recognition.
- ✓ Weighs only 450gm

Bridge Window Sun Screen Wipers



Safety Helmet, Spectacles





Safety Spectacles & Goggles

Safety Gloves



SOLARSOLVE - SOLASAFE



- Comply with Marine Regulations
- Lloyds, DNV and Abs type of Approved
- Suitable ofr use on any type of vessel
- SOLAS / LLOYDS (UK) / EC MED Approved

LA 11B A 1 International Business Usa: (305)776-5931 Ven: (58212)335-07-42





Mast Floats



- Heavy duty fabric construction
- ✓ Available in 9 or 40 litres of buoyancy
- Designed in conjunction with sailing centres
- Only effective when correct buoyancy float is fitted

Safety Stuffs







Dust Mask

Respirator

High Visibility Vest

Powder and Foam Fire Extinguisher



- √ 1.5m sides
- Jused at racing events worldwide
- Hard wearing highly visible construction
- Mooring harness fitted

Inflatable Mark Buoys



- Hard wearing construction
- Protective Plastic lining.
- Double skin with inner inflation chamber
- Comes with fitted mooring harness

Buoyancy Bags



- PU coated nylon.
- Welded construction
- Long lasting and abrasion resistant.
- Bag sizes to fit most dinghy classes

Powder and Foam Fire Extinguisher



- Simple training aid
- ✓ Ideal for Sailing Schools
- Mouth inflation
- Strap for easy recovery

LA 11B A 1 International Business Usa: (305)776-5931 Ven: (58212)335-07-42





Bag Model: Expedition



- Heavy-duty tarpaulin construction
- Carry handles and detachable shoulder straps
- Color coded for instant recognition.

Bag Model: Vapour



- Heavy-duty duffel bag
- ✓ Velcro sealed storm flap
- ✓ Detachable and adjustable shoulder strap
- ✓ Padded carry handle

Crew Holdall



- Heavy-duty construction
- Clear pockets
- Carry handle and shoulder strap
- ✓ Internal slip pockets with dry pocket

Dry Towel



- Great space saver
- Soft, comfortable, quick drying fabric
- Folds up compactly when dry
- ✓ Towel size: 89cm x 145cm (35" x 57")

Dry Case



- ✓ Ideal for keeping valuables fully waterproof
- ✓ Durable plastic construction
- Color coded for instant recognition.
- Detachable carry strap

Lifejacket Bag



- Heavy-duty construction
- Mesh drain section
- Side pocket
- Carry handle and hanging loop

LA 11B A 1 International Business Usa: (305)776-5931 Ven: (58212)335-07-42





Alarm siren for marine applications



- Up to 126dB
- 45 tones, 3 stages
- ✓ IP66 & IP67
- GOST-R approved

MARINE LEAD ACID BATTERY



- Standard & Maintenance Free
- ✓ 4V , 200AH
- 🗸 2V, 300AH
- ✓ 2V, 200AH

Powder and Foam Fire Extinguisher



- ✓ British Standards Institution BSI approval.
- 6 Volts & 12 Volts
- ✓ Standard & Maintenance Free

Alarm buzzer



- ✓ With trumpet flare 100 dB(A) @ 1m
- Incorporated volume control
- ✓ IP65
- ✓ Three alarm sounds

Battery Charger- Automatic - 3 Stage



Alarm buzzer



- ✓ Max. output: 100dB(A) @ 1m
- Three tones
- ✓ IP65
- High impact ABS (housing)

LA 11B A 1 International Business Usa: (305)776-5931 Ven: (58212)335-07-42





Warning horn



- Three tones
- > B300SND: 98dB(A), B400SND: 110dB(A)
- ✓ IP65
- Surface mount

Explosion proof loudspeaker



- √ 70V and 100V line tapping; impedence 8 / 16 0hm
- Frequency range : 400Hz to 8000Hz
- Color coded for instant recognition.
- ✓ SOLAS / LLOYDS (UK) / EC MED Approved

Disaster warning siren



- Wide area signaling
- 45 alarm tones
- Lightweight fibreglass
- IP65 protection

Explosion proof loudspeaker



- → 70 or 100V line tappings
- Low impedence 8 / 16 0hm
- ✓ Suitable for Zone 1, 2, 21 & 22
- Dual M20 cable gland entries

Heavy duty alarm sounder



- 32 or 45 tones (meeting European Standards)
- Outputs from 104dB(A) to 126dB(A)
- EN54-3 tested CPD compliant
- √ 3 stage alarm option

Explosion proof break glass



- Stainless steel lift flap
- Series and EOL resistors
- Stainless steel tag and duty labels
- Special colours







Capital Safety Boatswains Chair



- √ 1001131 X-Small (28" 36" waist)
- ✓ 1001132 Small (32" 40" waist)
- √ 1001133 Medium (36" 44" waist)
- √ 1001134 Large (40" 48" waist)

Safe Work Load



- ✓ BTC720-5336 Hook 3"
- ✓ BTC720-5435 Shackle 4"
- J BTC720-5436 Hook 4"

Powder and Foam Fire Extinguisher



- ✓ BTC720-6836 Hook 3"
- BTC720-6935 Shackle 4"
- ✓ SOLAS / LLOYDS (UK) / EC MED Approved

Petzl NAVAHO SIT Seat Harness



- ✓ NAVAHO SIT (C79000 A)
- ✓ Waist belt: 70 120 cm
- ✓ Leg loops: 50 65 cm
- ✓ SOLAS / LLOYDS (UK) / EC MED Approved

Baier Hatches



- ✓ BAISC24 Steel Cover
- Steel Ring, 24"
- Color coded for instant recognition.
- ✓ Oval Lift-Out Flush Hatch

Beckson Screw-Out Deck Plate




- ✓ BECDP40B Black Deck Plate Smooth/Black
- → BECDP40N Beige Smooth/Beige
- ✓ BECDP40W White Smooth/Beige
- ✓ BECDP40BC Black Deck Plate Clear Center

LA 11B FA 1 International Business Usa: (305)776-5931 Ven: (58212)335-07-42





ANTI SPRAY TAPES



- ✓ Feature of adhesive: + 200 °C above
- ✓ Adhesion: 1000 g above; 25 mm g/f
- Minimum 3 years when properly stored
- ✓ SOLAS / LLOYDS (UK) / EC MED Approved

T-ISS Drip Stop Tape



- \checkmark DS1025 0.5mm \times 25mm \times 5m
- ✓ DS1038 0.5mm×38mm×5m
- Color coded for instant recognition.
- ✓ DS1050 0.5mm×50mm×5m

HATCH SEALING TAPES



Hatch Seal is made of durable flexible sponge rubber with a heavy duty self-adhesive backing. Hatch Seal prevents leaks and stops rattles. Replace old seals around hatch frames, door frames, and live wells.

Pipemarking Tapes




Pipes must be marked:
At least once in every room, At each point where the pipe passes a wall, ceiling or floor, In the proximity of each valve Within a distance of 3-5m (depending on length of the pipe)

Powder and Foam Fire Extinguisher



- Long term bonding performance
- Used on board of cruiseliners, tankers
- Supplied on 10 meter rolls availabe
- ✓ SOLAS / LLOYDS (UK) / EC MED Approved

ANTI SLIP TAPES



✓ A durable and easy to apply self adhesive tape, that makes any surface non-slip.

Suitable for use indoors or outside, this tape has a pressure sensitive permanent adhesive coating and resin bonded oxide grit applied to a durable and long lasting flexible backing.

LA 11B A 1 International Business Usa: (305)776-5931 Ven: (58212)335-07-42





Zinc Tape



- Dual protection
- Custom sizing
- Long service life
- Environmentally friendly

T-155 HEATSTOP



Is a modified basalt fiber with an aluminium layer for Heatinsulation, it is definitely 100% environmental & health friendly material.

T-ISS Hatch Cover Tape



HaCo hatch cover tape is design by specialists with 20 years experience, to seal out the elements on hatch cover rims. HaCo pressure sensitive adhesive liner gives excellent bond it resists salt water and oxidation.

T-ISS foam mounting tapes



- Long term bonding performance to plastic hangers and mirror mounting.
- Used on board of cruiseliners, tankers, ferries etc etc to install signage or to fix products to flat surface.

BC Petro Tape





- ✓ Good resistance to acids, alkalis and salts
- No cracking, no hardening
- Solvent Free
- Create a solid water barrier

Powder and Foam Fire Extinguisher



One of the main activity of Seapart is to supply quality separator spares to the marine market for more than 15 years. The parts are manufactured in the EU countries according to the technical specifications of the original ones.

E A IIB F A I International Business Usa: (305)776-5931 Ven: (58212)335-07-42





Powder and Foam Fire Extinguisher



Air driven ventilators provide an efficient and cost effective system of natural ventilation. Energy Saver, these are suitable to install any type of roofing sheds.

Pneumatic Mucking Winch



Air-Operated Mucking Winch Designed for the speedy removal of cargo tank scale and sludge.

Hold Cleaning Gun



For cleaning of bulk carrier holds by a high pressure water stream. A strong stream of water can be projected a distance of over 20m to remove loose rust, flaking paint or cargo residue.

Powder and Foam Fire Extinguisher



- Two stages design for wide range use
- High head and large capacity
- High efficiency motor.
- Close-couple type for saving space

Powder and Foam Fire Extinguisher



- Aluminum motor housing
- ICP centerline discharge
- High Head for irrigation.
- ✓ SOLAS / LLOYDS (UK) / EC MED Approved

Water Driven Ventilator



Designed for high performance ventilation of gas from large enclosed areas or other tank openings, Works effectively providing penetration deep into the tank for complete ventilation.

E A I IB F A I International Business
Usa: (305)776-5931 Ven: (58212)335-07-42





Jabsco Ultra Washdown Pump Kit



- New 5 chamber design
- High Pressure / High Capacity
- Suitable for Use with Salt Water, Sealed motor
- ✓ ISO 8846 MARINE (Ignition Protection Standards)

FloJet Deck Wash Pump



- ✓ Model #: 04305144L
- Self-primes up to 2.4m vertical lift
- Quick-connect plug-in ports for easy installation
- Shipping Weight: 5.7 lbs.

FloJet Heavy Duty Deck Wash Pumps



- Self-primes up to 2.4m vertical lift
- Protective Plastic lining.
- Shipping Weight: 7 lbs.
- Capable of pressures up to 2.8bar

Jabsco Porta Quick Oil Change



- ✓ Model #: 17800-2000
- Shipping Weight: 11 lbs.
- Clean and easy oil changes
- ✓ Reversible Pump

Flojet Water System Pump 12 Volt



- ✓ Model #: 04305510A
- Flojet Water System Pump 12 Volt , 50 PSI
- ✓ Shipping Weight: 5.1 lbs.
- ✓ SOLAS / LLOYDS (UK) / EC MED Approved

Powder and Foam Fire Extinguisher



- External linear sensor for fast and accurate level sensing.
- Rugged 7.5 Gallon (38 liter) Polyethylene holding tank
- ✓ Vent Connection: 3/4 inch hose barb
- ✓ Product Dimensions: 12.0H x 14.0W x 18.0D

LA 11B A 1 International Business Usa: (305)776-5931 Ven: (58212)335-07-42





Furuno FS-1503EM Single Side Band



- √ 100% Duty Cycle@150W
- Easy Front Panel
- Weight: 28.0 lbs
- ✓ All ITU and USA Channels

Icom 55B IC-M802 Marine Radio



- Large LCD with Dot Matrix Characters
- Protective Plastic lining.
- ✓ One touch e-mail Access
- 2 Years Warranty

Jabsco Little Pal Utility Pump



- Model #: 34060-0010
- ✓ Ideal for small engine and gearbox oil drain
- ✓ Simply pump old oil out with dipstick probe
- Small enough to fit any tool box

Icom AT-140 HF Automatic Antena Tuner



- New, pre-wired cable connection points
- Automatically tunes for reception
- Weather resistant
- 45 memories for shorter tuning times

Icom AT-130 Automatic Antena Tuner



- Automatic Tuning
- Weather Resistant
- ✓ Icoms sophisticated AT-130
- → Improved Tuning Performance

Jabsco Handy Boy Utility Pump



- Model #: 33799-0000
- 1001 other uses on any boat
- Product Dimensions: 12.0H x 1.3W x 1.3D
- Shipping Weight: 5 lbs.

CA 11B A 1 International Business
Usa: (305)776-5931 Ven: (58212)335-07-42





Garmin GC10 NTS Video Camera



- Resolution: 480 TV lines
- Weight: 11.3 oz
- Waterproof rating : IP66
- Box Dimensions 3 Inch H x 3 W x 4 L WT: 0.6lbs

FloJet Deck Wash Pump



Raymarine CAM50 Color Dome Camera High performance marine camera solutions. Indoor camera designed for wheelhouse, salon, or engine room monitoring. The ideal camera for interior installations.

FloJet Heavy Duty Deck Wash Pumps



✓ Speco Ultra Wide Angle Waterproof Color Bullet Camera. This waterproof, color bullet camera offers a 170 degree angle view which is ideal for complete coverage of elevators, vestibules and other small areas. Product Dimensions 1.5" H x 1.5" W x 3.3" D

Raymarine CAM 100 CCTV Video



- Warranty: 2 Years
- Product Dimensions: 4.1H x 5.85W x 4.1D
- Clean and easy oil changes
- Shipping Weight: 5 lbs

Speco Marine Camera Reverse Image



- ✓ Video Output 1 volt P-P into 75 ohms
- > S/N Ratio 48 dB
- ✓ LED 12 LEDs controlled by CDS.
- ✓ Waterproof Color Day/Night

Speco Color Day/Night Bullet Camera



- ✓ Horizontal Resolution 420 Lines
- ✓ Waterproof Color Day/Night
- ✓ TV Standard NTSC
- S/N Ratio 48 dB





KVH TracPhone FB150 Inmarsat



KVH TracPhone FB150 Inmarsat
FleetBroadband. A new generation of fast,
reliable, and affordable satellite
communications for voice, SMS, and
broadband data Bringing true broadband
Internet connections

KVH TracVision M9



- ✓ Model #: 01-0282-01
- KVH TracVision M9 US CONFIG
- Color coded for instant recognition.
- √The ultimate in satellite TV reception for vessels 80+ feet

Iridium • 9555 • Satellite-Phone



- ✓ Integrated speakerphone
- ✓ Headset and hands-free capability
- Internally stowed antenna
- Mini-USB data port

KVH Tracvision A7 Low Profile Satellite Antenna



- 🗸 Rugged, 5-inch high
- Up to 185 channels of DIRECTV service
- ✓ KVH Tracvision A7 w/Rack Mount
- ✓ Making TV as Mobile as You Are!

KVH TracVision M1 w/ 12v Direct TV Receiver



KVH TracVision M1 w/ 12v Direct TV Receiver. KVH's new, ultra-compact TracVision M1. allows you to enjoy hundreds of channels of high quality satellite TV programming from DIRECTV while at the dock or sailing or cruising throughout the continental U.S.

SatDOCK cradle for IRID 9555



- Full duplex hands-free operation
- Supports Privacy Handset modes
- USB and serial Data Port interface
- High quality speaker

